



The "Africa" 4-stroke range, born from monitoring and Yamaha's long experience, has been specially developed to meet the extreme conditions of use. Power and reliability are the hallmarks of this range of engines in a field where Yamaha is the reference brand.

F70AETL



TECHNICAL CHARACTERISTICS	F70AETL
MOTOR	
Engine Type	In-line 4
Ignition System	Electronic Ignition (TCI)
Reduction ratio	9.4 :1
Start-up	Electric with Prime Start™
Power system	Electronic Injection (EFI)
Lubrication system	Unleaded
Fuel consumption (L/h-tr/min)	21.2 L/h @5800 r/min
Fuel	Wet Sump
Full throttle operating range (tr/min)	5300-6300
Max.Prop Shaft Horsepower (Kw)	51.5 (70 hp)
Bore x Stroke (mm)	65.0 X 75.0
Architecture	L4
Displacement (cc)	996
MORE	
Propeller Rotation	Clockwise
Alternator	15 A
Control	Remote Control
DIMENSIONS	
Dry weight with propeller (kg)	123
Engine transom height (mm)	L: 534 (21.0 inch)
Oil capacity (L)	2.1 L/ 1.9 L
EQUIPMENTS	
Service kit assy.	✓
Fuel Tank comp.	✓
Remocon Control	✓
Cable end, Remote control	✓
Tachometer	✓
REGULAR PROPELLER (3 blades)	
Material	ALUMINUM
Diameter	13 1/2

Always wear a helmet, eye protection and protective proper clothing.
CFAO encourages you to ride safely with responsible manners that comply with all laws while respecting the environment.

